



We take this opportunity to introduce our company, Winstar (Pvt) Ltd., a solution provider having a team of experience qualified people who have expertise in all its products range; the company began its operations in 2004 and has been growing since then & serving the industries of Pakistan with innovative products and applications like Aolite needle detectors, Kleenoil Microfiltration Systems and Panolin Synthetic Oil with a believe in energy & cost saving technology that protects the environment and preserves the depleting resources of nature. AOLITE China has been manufacturing and selling its premium Metal Detectors for the past 16 years using quality electronics and parts. We take this pride that Aolite metal detectors are now being used by the leading textile Industries of Pakistan for last 6 years and the company has more than 100 happy customers.

#### **Aolite Product Strength:**

- Ability to detect as low as 0.6mm ferrous and 1.5mm non-ferrous metal particles.
- Complete Product range to cater all needs of Textile sector.
- Known by its durability, reliability and quality

#### **Our Services:**

- 6 years of continuous service with minimum complaints.
- Strong follow-up with customers.
- Strong after sales service support.
- Quick response on customer complaints.
- One window operation.
- 1 Year warranty
- Complete spare parts availability
- Aolite Metal detectors available on ex-stock
- Annual Service Contract

To cater your needs and to provide you with detail product knowledge we would be most delighted if you give us a chance to visit you and have meeting with you regarding our product range. Meanwhile, we are attaching herewith product catalogue showing complete range of equipment.

Please feel free to contact us for any further information.

Look forward for positive response from your end.

**Contact Details:**

**Head Office**

**Address:**

E-54 Site Karachi, Pakistan

**Tel:**

92-21-32581516-17, 32570700-1

**Fax:**

92-21-32561366

**E-mail:**

[info@winstar.com.pk](mailto:info@winstar.com.pk)

**Regional Office**

**Lahore:**

971-C, Canal View Co-operative Society Multan Road, Lahore, Pakistan

**Tel:**

042-35294861

042-35294862

042-35294863

Thank You



奥丽特

**奥丽特电器**

AOLITE ELECTRON

**2012 产品目录**  
**PRODUCT CATALOG**



要买就选奥丽特，牌子老，质量好，服务优！

中国·上海  
SHANGHAI CHINA



企业老总们：

是不是常常在为出口服装及纺织品玩具等生产过程中，往往为了一根断针或一些铁屑残留在产品中而烦恼吗？弄得不好还得索赔几万甚至于几十万。更会影响到公司信誉，以及后期发展。为此本公司为你提供一系列质量可靠、服务周到的奥丽特 ZYZ-600CIII 型系列增强型抗干扰自动检针机及 JST-A 型全金属探测器供你选购。为您的出口产品保驾护航！**本公司十六年如一日，不忽悠、不夸大、货真价实、诚实守信。买奥丽特检针机和全金属探测器是您最佳的选择，不妨试试！！**

● 总经理：**王才根**


General Manager: Wang Caigen

Dear customers,

Have you ever been bothered by a stray needle or some ferrous particles in the garments or toy products you supply? Such problems could cost you tens of thousands of dollars if not handled properly. Even worse, your company reputation and future is at stake. Aolite's ZYZ-600CIII series advanced interference-proof ferrous metal detector and JST-A series all metal detectors will help minimize your risk. With its superior quality and timely service, Aolite provides the best protection for your business. Over the past 16 years, Aolite has consistently maintained its business integrity by being truthful in machine performance and cost. Thanks for choosing Aolite.

本公司是检测设备行业的会员制企业，更是质量服务信誉 AAA 级企业。主要生产和销售用于纺织服装、食品、医药、毛绒玩具及相关产品的检测设备，即 ZYZ 系列检针器（也称全金属检测器）和 ASGD 系列卷验布机。尤以十多年前率先研制生产的第一代检针器，开国内一代产品之先河，填补了国内空白，也为相关企业提供了价廉物美的高品质检测设备。在世纪交替前后的几年中，公司大力组织科研人员加大新产品的开发力度，生产出可与国外同类产品媲美的 ZYZ 600CIII 型验针器，从而满足了不同用户的不同需求，也赢得了更为广阔的市场，拥有了最广泛的客户群，年销量逐年递增。迄今为止，在九百六十万平方公里的土地上，凡是有生产针纺织品的地方，便会有“奥丽特”产品的身影，并已辐射海外，迈入竞争更加激烈的国际市场。公司自成立以来，始终本着对用户负责的态度，坚持以质量第一、用户至上作为企业的一贯宗旨，不断改革创新，曾先后多次获得行业博览会金奖、银奖及国贸部、科贸等的一系列奖项，面对取得的成绩，我们不曾忘记昨日的艰辛，更不会忘记您及广大新老朋友的鼎力支持与合作。我们的每一次进步，不仅蕴含着公司全体同仁的不懈努力，更包含着您的关心与支持，凝聚着供需双方共同的聪明和智慧。您的选择将成就我们事业的发展，同时也将展示您的睿智与风采。愿我们真诚合作，为了共同的新世纪，携手共勉，再铸辉煌。

Shanghai Aolite is a member company of the inspecting equipment industry in China, with AAA credit in quality and service. It mainly manufactures inspecting equipment for textiles, garments, food, pharmaceutical and plush toy products, i.e. ZYZ serious metal detectors and ASGD cloth inspecting machines. A decade ago, as a leader in metal detecting equipment in China, the company produced the first generation metal detector, filling in the industrial blank in China and providing high-quality detecting equipment at competitive cost. In the following years, the company organized its research and development team and produced the third-generation ZYZ-600CIII metal detector, satisfying the needs of various users and winning an ever-increasing market. So far, Aolite products are used all over the country and have entered international market. Since its establishment, the company has maintained a responsible role in ensuring focus on reliable quality and customer needs. The company has made continuous improvements and won various awards. The company appreciates all the support and care from all customers at home and abroad. Thanks for choosing Aolite products and we look forward to working with you towards an ever-bright future.





**ZYZ-600CIII型微电脑检针机**  
**DXTT-880型微电脑检针机**  
**ZYZ-600CIII(改进型)微电脑检针机**  
**(通用型) General-purpose**  
**ZYZ-600C III Ferrous Metal Detector**  
**DXTT-880 Ferrous Metal Detector**  
**ZYZ-600CIII Cross-check Ferrous Metal Detector**

**技术性能及参数:**


- 采用部份进口部件, 使之具有极高的灵敏度和极强的抗干扰能力。
- 当检测到断针或其它铁类物时, 声光将同时报警, 红色灯光会指示出金属物所处位置, 此时被检物会自动停下并返回。
- 实现 A、B、C、D、四种机型功能的兼容, 可自由选择使用。
- 智能计数器对被检物(合格品、非合格品)的数量实现准确记录。
- 检测灵敏度可在操作面板上实现自由调节(0-12档), 直至达到您的要求。
- 设有自动启动程序及自动保护装置, 并安装有程序锁定装置。

**Technical information:**


- Some components are imported to ensure high detecting sensitivity and resistance to interference.
- Upon detection of stray needle fragments or other ferrous particles, the machine will give off alarms in sound and light, with optiqnal belt movements.
- For working modes, A, B, C and D are available for choice.
- Quantities of passed and failed products during inspection are available.
- Sensitivity level can be set and adjusted on the operating panel.
- Operating settings can be locked for inspecting consistency.

电源(V) Power supply	功率(W) Power	灵敏度调节 Adjustment of Sensitivity	检测灵敏度 (mm/ 铁球)	体积 (长x宽x高) Volume(L*W*H)	检测宽度(mm) Detection width	检测高度(mm) Detection height	重量(kg) Weight
Ac220 ± 10 %	60	0-12 档 任意设定 Adjustable between Leves 0-12	≥ Φ 0.6mm	1740*1050*900	600	≥ 100	150


**主要技术参数: Technical index**



**ZYZ-600CIII型微电脑检针机**



**ZYZ-600CIII型  
(改进型)微电脑检针机**



**DXTT-880型**

**特点:**

- 单斜探头(可替代双探头)
- 稳定性好
- 无盲区
- 选用日本芯片

# ZYZ-400CIII型微电脑检针机 (推荐用于检验鞋子) ZYZ-400CIII Ferrous Metal Detector (Recommended for inspecting shoes)



ZYZ-400CIII型  
微电脑检针机

## 技术性能及参数:

- 有足够的高度及抗震动能力, 保证对厚重物或硬质物的检测效果。
- 当检测到断针或其它铁类物时, 声光将同时报警, 红色灯光会指示出金属物所处的位置, 此时被检物会自动停下并返回。
- 实现 A、B、C、D、四种机型功能的兼容, 可自由选择使用。
- 智能计数器对被检物(合格品、非合格品)的数量实现准确记录。
- 检测灵敏度可在操作面板上实现自由调节(0-12档), 直至达到您的要求。
- 设有自动程序及自动保护装置, 并安装有程序锁定装置。

## Technical information

- Sufficient detecting height and solid built, ideal for inspecting thick and heavy products.
- Upon detection of stray needle fragments or other ferrous particles, the machine will give off alarms in sound and light, with optional belt movements.
- For working modes, A, B, C and D are available for choice.
- Quantities of passed and failed products during inspection are available.
- Sensitivity level can be set and adjusted on the operating panel.
- Operating settings can be locked for inspecting consistency.

电源(V) Power supply	功率(W) Power	灵敏度调节 Adjustment of Sensitivity	检测灵敏度 (mm/ 铁球)	体积 (长x宽x高)	检测宽度(mm) Detection width	检测高度(mm) Detection height	重量(kg) Weight
Ac220 ± 10 %	60	1-12 档 任意设定 Adjustable between Leves 0-12	≥ Φ0.6mm	1740*850*900	400	≥ 100	120

主要技术参数: Technical index





# ST-600CIII型微电脑双探头检针机

## ST-600CIII特制高双探头检针机

(推荐用于检验大型玩具、内衣、毛绒玩具等)

### ST-600CIII Double-Head Ferrous Metal Detector

(Recommended for inspecting plush toys, underwear, etc.)

#### 技术性能及参数:

- 八字型设计的双探头监测系统, 实现了一次操作完成二次不同方向的检测, 不仅提高了工作效率, 还进一步提高了检测质量。
- 当检测到断针或其它类铁物时, 声光将同时报警, 红色灯光会指示出金属物所处的位置, 此时被检物会自动停下并返回。
- 实现 A、B、C、D、四种机型功能的兼容, 可自由选择使用。
- 智能计数器对被检物(合格品、非合格品)的数量实现准确记录。
- 检测灵敏度可在操作面板上实现自由调节(0-12档), 直至达到您的要求。
- 设有自动启动程序及自动保护装置, 并安装有程序锁定装置。

#### Technical information


- The special design enables two inspections from different sides, improving both the working efficiency and detecting quality.
- Upon detection of stray needle fragments or other ferrous particles, the machine will give off alarms in sound and light, with optional belt movements.
- For working modes, A, B, C and D are available for choice.
- Quantities of passed and failed products during inspection are available.
- Sensitivity level can be set and adjusted on the operating panel.
- Operating settings can be locked for inspecting consistency.

电源(V) Power supply	功率(W) Power	灵敏度调节 Adjustment of Sensitivity	检测灵敏度 (mm/ 铁球)	体积 (长×宽×高) Volume(L*W*H)	检测宽度(mm) Detection width	检测高度(mm) Detection height	重量(kg) Weight
Ac220 ± 10 %	90	1-12 档 任意设定 Adjustable between Leves 0-12	≥ Φ0.6mm	2540*1050*900	600	≥ 100	300

#### 主要技术参数: Technical index



**ST-600CIII型**  
微电脑双探头检针机




**ST-600CIII型**  
特制高双探头微电脑检针机  
特点  
■适用大型玩具

**ST-1200CIII 型(双探头)微电脑检针机**  
**ZYZ-1600CIII型(高灵敏)微电脑检针机**  
**(推荐用于检验羽绒制品)**

**ST-1200CIII . ZYZ-1600CIII Ferrous Metal Detector**  
**(Recommended for inspecting down garments)**



**ST-1200CIII型**  
**(特效型)微电脑检针机**



**ZYZ-1600CIII型**  
**(高灵敏型)微电脑检针机**



**技术性能及参数:**

- 1200mm 的有效宽度, 可满足较大幅度宽物的顺利通过, 适用范围更广。
- 当检测到断针或其它类铁物时, 声光将同时报警, 红色灯光会指示出金属物所处的位置, 此时被检物会自动停下并返回。
- 实现A、B、C、D、四种机型功能的兼容, 可自由选择使用。
- 智能计数器对被检物(合格品、非合格品)的数量实现准确记录。
- 检测灵敏度可在操作面板上实现自由调节(0-12档), 直至达到您的要求。
- 设有自动启动程序及自动保护装置, 并安装有程序锁定装置。

**Technical information**

- The super width of 1,200mm allows entry of products with big width.
- Upon detection of stray needle fragments or other ferrous particles, the machine will give off alarms in sound and light, with optional belt movements.
- For working modes, A, B, C and D are available for choice.
- Quantities of passed and failed products during inspection are available.
- Sensitivity level can be set and adjusted on the operating panel.
- Operating settings can be locked for inspecting consistency.

电源(V) Power supply	功率(W) Power	灵敏度调节 Adjustment of Sensitivity	检测灵敏度 (mm/铁球)	体积 (长x宽x高) Volume(L*W*H)	检测宽度(mm) Detection width	检测高度(mm) Detection height	重量(kg) Weight
AC220 ± 10 %	140	1-12档 任意设定 Adjustable between Leves 1-12	≥ Φ0.6mm	2540*1650*900	1200	≥ 100	250

主要技术参数: **Technical index**



# ZYZ-2000CIII (增强型) 微电脑检针机 (推荐用于床上用品)

## ZYZ-2000CIII Ferrous Metal Detector (Recommended for inspecting bed ware)



### 技术性能及参数:


- 2000mm 以上的有效宽度, 可满足对各类大件物品 (床上用品) 的检测。
- 当检测到断针或其它类铁物时, 声光将同时报警, 红色灯光会指示出金属物所处的位置, 此时被检物会自动停下并返回。
- 实现A、B、C、D、四种机型功能的兼容, 可自由选择使用。
- 智能计数器对被检物 (合格品、非合格品) 的数量实现准确记录。
- 检测灵敏度可在操作面板上实现自由调节 (0-12档), 直至达到您的要求。
- 设有自动启动程序及自动保护装置, 并安装有程序锁定装置。

### Technical information

- The super width of 2,000mm allows entry of various bed ware products with big width.
- Upon detection of stray needle fragments or other ferrous particles, the machine will give off alarms in sound and light, with optional belt movements.
- For working modes, A, B, C and D are available for choice.
- Quantities of passed and failed products during inspection are available.
- Sensitivity level can be set and adjusted on the operating panel.
- Operating settings can be locked for inspecting consistency.

电源(V) Power supply	功率(W) Power	灵敏度调节 Adjustment of Sensitivity	检测灵敏度 (mm/ 铁球)	体积 (长x宽x高) Volume(L*W*H)	检测宽度(mm) Detection width	检测高度(mm) Detection height	重量(kg) Weight
Ac220 ± 10 %	180	1-12 档 任意设定 Adjustable between Leves 1-12	≥ Φ0.6mm	2540*2450*900	2000	≥ 100	500

### 主要技术参数: Technical index



ZYZ-2000CIII型  
(增强型)微电脑检针机

## JST-A 型全金属探测器 JST-A All-metal Detector



### 技术性能及参数:

- 全新的电路设计, 具有高灵敏度、高可靠性。
- 铁与非铁金属检测之灵敏度及相位均无级可调
- 对铁类金属的检测灵敏度可达 $\Phi 0.8\text{mm}$
- 对非铁类金属的检测灵敏度可达 $\Phi 1.5\text{mm}$
- 可探测出被检物中的全部金属物
- LED指示灯可分别指示铁与非铁的感应度


### Technical information

- New design of electrical circuit, offering high sensitivity and reliability.
- Step-less adjusting of sensitivity level for detecting both ferrous and non-ferrous objects.
- Max. detecting sensitivity limit for ferrous objects is  $\Phi 0.8\text{mm}$ , subject to detecting height.
- Max. detecting sensitivity limit for non-ferrous objects is  $\Phi 1.5\text{mm}$ , subject to detecting height.
- Capable of detecting both ferrous and non-ferrous objects in goods inspected.
- LED indicators can indicate sensitivity level of ferrous and non-ferrous objects, separately.

- 适用于食品、药品、水产品及果蔬类的检测
- 可用于化工原料、橡胶、纸品等的检测
- 可用于针纺织品、羽绒及其他家纺类制品的检测

### Application

- Recommended for inspecting food, pharmaceutical, aquatic products, fruit and vegetable.
- Recommended for inspecting chemical, rubber and paper products.
- Recommended for inspecting textile, feather and woven products.



JST-A型全金属探测器(5015)



JST-A型全金属探测器(5035)

**ZYZ-2000C型超宽无传动检针器**  
**KX-2000A型超宽无传动检针器**  
**(无纺布、针刺棉等专用)**  
**ZYZ-2000C / KX-2000A**  
**Super-width Ferrous Metal Detector**  
**(Conveyor less, recommended for inspecting**  
**non-woven cloth and synthetic silk)**



KX-2000A型



ZYZ-2000C型



**适用范围:**

- 特别适用于无纺布、喷胶棉、针刺棉、地毯等，并可与相关设备（顺卷机等）联动。

**KX-2000A型**

**特点:**

- 任意调节角度，高度
- 抗干扰
- 大警灯声光报警显位置
- 适应性强

**Features**

- The detecting angle and height are adjustable.
- Proof to external interference.
- Additional alarm lamp.
- Easy to operate and move around.

**技术指标:**

- 电源电压: AC200V 50Hz
- 灵敏度:  $\geq \Phi 1.0$
- 体 积: 2300×550×850mm (长×宽×高)  
特殊规格可自定
- 重 量: 约 600kg

**Application**

- Recommended for inspecting non-woven cotton, polyester wadding, synthetic silk, carpets; to be connected to rolling devices.

**ZYZ-2000C型**

**特点:**

- 操作简单、方便实用。
- 能显示断针位置。

**Features**

- Practical and easy to operate.
- Position of stray needles to be indicated.

**Technical Specifications:**

- Voltage: AC200V 50Hz
- Sensitivity:  $\geq \Phi 1.0$
- Size: 2300×550×880mm (L×W×H), or otherwise custom-made
- Weight: Approx. 600kg

## CYZ-2000B 型宽幅式检针器 (薄料专用)

### CYZ-2000B Ferrous Metal Detector (Recommended for inspecting thin fabrics)

#### 特点:

■ 该型检针器是超宽幅手动式，主要用于床上用品及大件物品的检测。

#### Features:

■ The super width with manual operation is mainly for inspecting large products like bed ware.



## TY-20MJ 型手持式检针器 TY-28MJ Portable Pin Detector



#### 主要技术参数:

- 体积: 135(D) × 65(W) × 35(H)
- 重量: 280克
- 电源: 6F22-9V 电池
- 检测灵敏度:  $\Phi 1.2\text{Fe}$  可达标 10mm  
 $\Phi 0.7 \times 20$  针可达到目的 50mm

#### Technical Specifications:

- Size: 135(D) × 65(W) × 35(H)
- Weight: 280g
- Power Supply: 6F 22-9V battery
- Detection Sensitivity:  $\Phi 1.2\text{Fe}$  detectable within 10mm  
 $\Phi 0.7 \times 20$  detectable within 50mm

## SSJ-1型智能输送机

#### 产品特点:

- 适用于家纺、轻工、电子等企业。是提高产能，减少工人劳动强度，流水线生产不可或缺的中间环节。为企业节省环节人工80%，提高产能50%，占地小、效率高，还可以配合验针机等自动化设备作同步运行，是家纺企业向自动化迈进的一个重要桥梁。该产品被广泛运用于家纺行业的龙头企业，如海聆梦家纺、振华家纺、罗莱家纺、居梦来家纺等。

## YZQ-III 型检针器 YZQ-III Ferrous Metal Detector

#### 主要技术参数:

- 技术指标: AC220V ± 10% 50Hz
- 功耗: <30W
- 灵敏度: 50mm 高度内
- 体积: 660(D) × 450(W) × 80(H)

#### Technical Specifications:

- Voltage: AC220V ± 10 % 50Hz
- Power Consumption: <30W
- Detecting range: within 50mm
- Size: 660(D) × 450(W) × 80(H)



## SM-II型刷毛机 SM-II Thrum Collecting Machine

#### 适用范围:

- 采用离心机负压吸风和机械毛刷辊的同时运转以消除粘在针织、羊毛、人造毛制品服饰上的残留物，使您生产的服饰在出厂包装前能够快速和轻松地刷净附在服饰上的短毛、飞毛、绒头等残留物。

#### Application

- The machine collects remainder fiber from woolen garments, improving the appearance quality of goods.



## ASGD-861 型卷验布机

### ASGD-861 Cloth Rolling & Inspecting Machine



#### 特点:

- 配备进口调速装置, 可实现0-80M/min的无极调速。
- 高精度的光电齐边装置, 使卷布更加整齐。
- 性能极佳的卷曲张力控制系统, 使卷布的松紧随心所欲。
- 精确的电子计长仪, 显示清晰, 计长准确。
- 验布幅宽可根据需要定制。

#### Features:

- Equipped with imported speed adjusting device, with step-less adjusting within 0-80m/min.
- High precision photoelectric edge-aligner, making the cloth rolled with consistent edge.
- The tension control system adjusts the tension of cloth-rolling as desired.
- Electronic length measure ensures accurate measurement and clear display.
- Width of cloth to be inspected can be set as needed.

## SAY-1 型吸线头机

### SAY-1 Thrum Sucking Machine

#### 适用范围:

- 本机主要利用离心通风负压吸风原理来消除粘在各种衬衣、西裤、睡裤等服装缝纫的线头、灰尘等什物, 能保证服装产品的外表质量, 提高服装产品的档次。也可用于家纺企业翻枕头。

#### Application:

- The machine collects loose thread ends and dust from garments and carpets, improving the appearance quality of goods.



## TYA 型羽铁分离器

### TYA Feather-Ferrous Separating Machine



#### 特点:

- 可将混杂在羽毛中的微小金属物等分离出来, 确保羽毛的高度清洁。

#### Features:

- The machine separates small fine metal particles from feature.

## HG 型系列烘干机

### HG Series Drying Machine

#### 特点:

- HG系列自动干衣机, 主要用于经脱水后的棉毛、混纺、羊毛衫等结构的烘干, 经本机烘干后的织物具有蓬松、柔软、毛感好等特点。对针、毛织物有预缩效果。

#### Features:

- HG series automatic drying machines are mainly intended for further drying spin-dried cotton, woolen and mixed woven products. After drying, the products become soft and fluffy.



96上海百佳科技产品  
 97上海国际博览会银奖  
 98上海国际博览会金奖  
 2000消费者信得过商品(国贸部颁)  
 2002中国质量服务信誉AAA级企业  
 2002美中国际合作企业  
 2003年上海市金山区企业合同信用单位  
 2004年质量万里行诚信承诺成员单位  
 2005年重合同守信用单位  
 2006年获金山区先进私营企业

- Top 100 Scientific & Technological Products of Shanghai, 1996
- Silver Award of Shanghai International Expo, 1997
- Gold Award of Shanghai International Expo, 1998
- Consumer-trusted Products, 2000 (issued by China State Trade Commission)
- Level AAA for China Quality Service Credit, 2002
- Sino-American Cooperation Enterprise, 2002
- Enterprise Contract Credit Unit, Jinshan District, Shanghai, 2003
- Member of Thousand-mile Quality Integrity Company, 2004
- Contract Integrity Company, 2005
- Advanced Private Enterprise Award, Jinshan District, Shanghai, 2006



捧上一份真诚



收获一份信赖



上海奥丽特电器有限公司

SHANGHAI AOLITE ELECTRON CO., LTD.

奥丽特

公司地址: 中国上海市金山区兴塔工业园区(亭枫公路6459号)

Address: NO.6459 Tingfeng Highway, Xingtai Industrial park,

Jinshan District, Shanghai, China

服务热线(Tel): (24小时) 021-57361049 57361212 57361390

手机(Mobile): **13701725269** (王先生)

传真(FAX): 021-57362513 邮编: 201502

网址(http): www.sh-aolite.com

邮箱(E-mail): alt1688@126.com

网络实名(Meshwork name): 奥丽特检针器

帐号: 0385502801616251

开户行: 农行金山区兴塔支行

深圳办事处: 深圳市福田区福华路京海花园大厦19楼D座

联系人: 王先生

电话: 0755-83789239 手机: 13534082208 13701725269

公司地理位置图

